

# HAZMAT

## SAFETY CABINETS

### CORROSIVE

Storage Cabinets



Suitable for Safe Storage of Corrosive substances that are listed as Class 8 corrosive substances in the Australian Dangerous Goods code or that meet the classification in that code for corrosive substances:

All cabinets comply with AS3780-2008 as follows:

1. Each cabinet is marked with the name and address of the manufacturer
2. The maximum storage capacity
3. A Class 8 dangerous goods label with sides of at least 100mm nominal.



Multifile is a long established and privately owned Australian company who are well known for the supply of 'Specialised Storage Solutions' to our clients Australia wide. Our range includes 'Hazardous Storage Cabinets' which are available in a range of sizes and manufactured in accordance with Australian standards.

Australia Wide Shipping • Superior Quality • Industry Experts

# CORROSIVE

## Substance Storage Cabinets

# Key Features & Benefits

Isocyanate free two-pack epoxy coating inside and out, providing a hardwearing finish.

Danger alert sign indicating specific hazardous substances stored in cabinets.

Ventilation port, measuring 55mm in diameter.

Fully welded 150mm deep liquid tight sump capable of containing at least 25% of the maximum storage capacity.

Internal shelf brackets that fully interlock with shelves.



1.1mm thick double skin wall construction, with 40mm air gap between walls to provide thermal insulation.

Ventilation port, measuring 55mm in diameter.

Continuous piano hinges ensuring smooth closure of door.

Full instructions on usage of the cabinet attached to the inside of the door.

Build in ground connector.

Round corners on door.



Fully adjustable galvanised shelves, perforated for leakages and to permit free air flow. Easily replaced if damaged.



Recessed handle with key lock which can be opened from the inside, as per Australian Standards. Two keys supplied.



Self closing door mechanism, sequential self closing on double door cabinets.



Three point self latching door mechanism.



# CORROSIVE

Substance Storage Cabinets

# Ordering Information

## CORROSIVE SUBSTANCE STORAGE CABINETS

Capacity (L)	30	60	100	160	250
Capacity (Units)	1 x 20L or 6 x 2.5L Tins	2 x 20L or 12 x 2.5L Tins	3 x 20L or 15 x 2.5L Tins	6 x 20L Drums	9 x 20L Drums
Part Number	TCCSS30L	TCCSS60L	TCCSS100L	TCCSS160L	TCCSS250L
Shelves	1	2	1	2	3
External Height (mm)	805	1070	810	1295	1830
External Width (mm)	525	515	935	1115	1120
External Depth (mm)	475	470	630	475	520
Internal Height (mm)	520	785	520	1045	1545
Internal Width (mm)	420	420	835	1015	1015
Internal Depth (mm)	375	375	530	375	420
Weight (kg)	53	62	100	138	187



30L



60L



100L



160L



250L