MULTIFILE
Specialist Storage Solutions

HAZMAT
SAFETY CABINETS

Outdoor Flammable Liquids Storage

BUILT IN ACCORDANCE WITH AUSTRALIAN STANDARDS
WWW.HAZMATCABINETS.COM.AU

Multifile is a long established and privately owned Australian company who are well known for the supply of 'Specialised Storage Solutions' to our clients Australia wide. Our range includes 'Hazardous Storage Cabinets' which are available in a range of sizes and manufactured in accordance with Australian standards.

Australia Wide Shipping • Superior Quality • Industry Experts

hazmatcabinets.com.au

Speak to the experts **1800 080 280**

FEATURES

Outdoor Flammable Liquid Stores

270° Door Hinging
Doors fold back 270°.

ISO Locking Bars
ISO locking bars for high security.

Complies with AS 1940:2017
Designed and manufactured in full conformance to *AS 1940:2017 - The storage and handling of flammable and combustible liquids.*

Perforated Adjustable Shelving
Heavy duty adjustable shelves.

Ventilation
Ventilation to suit AS 1940:2017.

Forklift Channels
For easy relocation.

Sizes:
80L / 160L / 250L / 251L
350L / 450L / 650L / 850L / 1000L

Additional Features:

- Appropriate safety signage that complies with AS 1216 and AS 1319
- Engineered footing details available
- Cyclone proof construction
- Cambered roof for rainwater run-off
- Earth stake and mounting
- Manufactured in Australia

Code	Description	External Dimensions		
		H	W	D
MHSOF-0080	Outdoor 80 Litre Flam Liquids Cabinet	1375	785	635
MHSOF-0160	Outdoor 160 Litre Flam Liquids Cabinet	1375	785	900
MHSOF-0250	Outdoor 250 Litre Flam Liquids Cabinet	1375	1150	900
MHSOF-0251	Outdoor 251 Litre Flam Liquids Cabinet	1995	785	900
MHSOF-0350	Outdoor 350 Litre Flam Liquids Cabinet	1995	1150	900
MHSOF-0450	Outdoor 450 Litre Flam Liquids Cabinet	1995	1520	900
MHSOF-0650	Outdoor 650 Litre Flam Liquids Cabinet	1995	2260	900
MHSOF-0850	Outdoor 850 Litre Flam Liquids Cabinet	1995	2990	900
MHSOF-1000	Outdoor 1000 Litre Flam Liquids Cabinet	1870	3600	900

80L - Outdoor Flammable Liquids Store

MHSOF-0080

Standard features

- Doors with 270° hinging to provide easy access
- ISO locking bars for high security
- Natural ventilation that complies with AS 1940:2017
- Forklift channels for easy relocation
- Heavy duty adjustable perforated shelving
- Cambered roof for rainwater run off
- Earthing steak and mounting
- Appropriate safety signage that complies with AS 1216 and AS 1319
- Designed and manufactured in full conformance to AS 1940:2017 - The storage and handling of flammable and combustible liquids.

Made in Australia

Specifications

Dimensions			
	H	W	D
External	1375	785	635
Internal	1070	770	490

Door Opening Width	627
Shelf Width	707
Shelf Depth	433
Storage Levels	2

Sump Capacity (L)	Weight (kg)	Complies with	Max Capacity (L)
63	101.4	AS 1940:2017	80

Drum Size						
0.5L 65mmW	2.5L 135mmW	5L 190mmW	4L 180mmW	20L 300mmW	60L 400mmW	205L 600mmW
180*	45*	12	18*	4	1	0

*with 3 storage levels

160L - Outdoor Flammable Liquids Store

MHSOF-0160

Standard features

- Doors with 270° hinging to provide easy access
- ISO locking bars for high security
- Natural ventilation that complies with AS 1940:2017
- Forklift channels for easy relocation
- Heavy duty adjustable perforated shelving
- Cambered roof for rainwater run off
- Earthing steak and mounting
- Appropriate safety signage that complies with AS 1216 and AS 1319
- Designed and manufactured in full conformance to AS 1940:2017 - The storage and handling of flammable and combustible liquids.

Made in Australia

Specifications

Dimensions			
	H	W	D
External	1375	785	900
Internal	1070	770	755

Door Opening Width	627
Shelf Width	707
Shelf Depth	698
Storage Levels	2

Sump Capacity (L)	Weight (kg)	Complies with	Max Capacity (L)
94.2	125.6	AS 1940:2017	160

Drum Size						
0.5L 65mmW	2.5L 135mmW	5L 190mmW	4L 180mmW	20L 300mmW	60L 400mmW	205L 600mmW
300*	75*	18	27*	8	1	0

*with 3 storage levels

250L - Outdoor Flammable Liquids Store

MHSOF-0250

Standard features

- Doors with 270° hinging to provide easy access
- ISO locking bars for high security
- Natural ventilation that complies with AS 1940:2017
- Forklift channels for easy relocation
- Heavy duty adjustable perforated shelving
- Cambered roof for rainwater run off
- Earthing steak and mounting
- Appropriate safety signage that complies with AS 1216 and AS 1319
- Designed and manufactured in full conformance to AS 1940:2017 - The storage and handling of flammable and combustible liquids.

Made in Australia

Specifications

Dimensions			
	H	W	D
External	1375	1150	900
Internal	1070	1135	755

Door Opening Width	992
Shelf Width	1072
Shelf Depth	698
Storage Levels	2

Sump Capacity (L)	Weight (kg)	Complies with	Max Capacity (L)
138	164.9	AS 1940:2017	250

Drum Size						
0.5L 65mmW	2.5L 135mmW	5L 190mmW	4L 180mmW	20L 300mmW	60L 400mmW	205L 600mmW
480*	105*	30	45*	12	2	0

*with 3 storage levels

250L - Outdoor Flammable Liquids Store

MHSOF-0251

Standard features

- Doors with 270° hinging to provide easy access
- ISO locking bars for high security
- Natural ventilation that complies with AS 1940:2017
- Forklift channels for easy relocation
- Heavy duty adjustable perforated shelving
- Cambered roof for rainwater run off
- Earthing steak and mounting
- Appropriate safety signage that complies with AS 1216 and AS 1319
- Designed and manufactured in full conformance to AS 1940:2017 - The storage and handling of flammable and combustible liquids.

Made in Australia

Specifications

Dimensions			
	H	W	D
External	1995	785	900
Internal	1690	770	755

Door Opening Width	627
Shelf Width	707
Shelf Depth	698
Storage Levels	3

Sump Capacity (L)	Weight (kg)	Complies with	Max Capacity (L)
94.2	188	AS 1940:2017	250

Drum Size						
0.5L 65mmW	2.5L 135mmW	5L 190mmW	4L 180mmW	20L 300mmW	60L 400mmW	205L 600mmW
500*	125*	27	45*	12	2	0

*with 3 storage levels

350L - Outdoor Flammable Liquids Store

MHSOF-0350

Standard features

- Doors with 270° hinging to provide easy access
- ISO locking bars for high security
- Natural ventilation that complies with AS 1940:2017
- Forklift channels for easy relocation
- Heavy duty adjustable perforated shelving
- Cambered roof for rainwater run off
- Earthing steak and mounting
- Appropriate safety signage that complies with AS 1216 and AS 1319
- Designed and manufactured in full conformance to AS 1940:2017 - The storage and handling of flammable and combustible liquids.

Made in Australia

Specifications

Dimensions			
	H	W	D
External	1995	1150	900
Internal	1690	1135	755

Door Opening Width	992
Shelf Width	1072
Shelf Depth	698
Storage Levels	3

Sump Capacity (L)	Weight (kg)	Complies with	Max Capacity (L)
138	206	AS 1940:2017	350

Drum Size						
0.5L 65mmW	2.5L 135mmW	5L 190mmW	4L 180mmW	20L 300mmW	60L 400mmW	205L 600mmW
800*	175*	45	75*	18	4	0

*with 3 storage levels

450L - Outdoor Flammable Liquids Store

MHSOF-0450

Standard features

- Doors with 270° hinging to provide easy access
- ISO locking bars for high security
- Natural ventilation that complies with AS 1940:2017
- Forklift channels for easy relocation
- Heavy duty adjustable perforated shelving
- Cambered roof for rainwater run off
- Earthing steak and mounting
- Appropriate safety signage that complies with AS 1216 and AS 1319
- Designed and manufactured in full conformance to AS 1940:2017 - The storage and handling of flammable and combustible liquids.

Made in Australia

Specifications

Dimensions			
	H	W	D
External	1995	1520	900
Internal	1690	1505	755

Door Opening Width	2x627
Shelf Width	707
Shelf Depth	698
Storage Levels	3

Sump Capacity (L)	Weight (kg)	Complies with	Max Capacity (L)
182.4	288.2	AS 1940:2017	450

Drum Size						
0.5L 65mmW	2.5L 135mmW	5L 190mmW	4L 180mmW	20L 300mmW	60L 400mmW	205L 600mmW
1000*	250*	54	90*	24	4	0

*with 3 storage levels

650L - Outdoor Flammable Liquids Store

MHSOF-0650

Standard features

- Doors with 270° hinging to provide easy access
- ISO locking bars for high security
- Natural ventilation that complies with AS 1940:2017
- Forklift channels for easy relocation
- Heavy duty adjustable perforated shelving
- Cambered roof for rainwater run off
- Earthing steak and mounting
- Appropriate safety signage that complies with AS 1216 and AS 1319
- Designed and manufactured in full conformance to AS 1940:2017 - The storage and handling of flammable and combustible liquids.

Made in Australia

Specifications

Dimensions			
	H	W	D
External	1995	2200	900
Internal	1690	2185	755

Door Opening Width	3x627
Shelf Width	707
Shelf Depth	698
Storage Levels	3

Sump Capacity (L)	Weight (kg)	Complies with	Max Capacity (L)
264	393.1	AS 3780:2008	650

Drum Size						
0.5L 65mmW	2.5L 135mmW	5L 190mmW	4L 180mmW	20L 300mmW	60L 400mmW	205L 600mmW
1500*	375*	81	135*	36	6	3

*with 3 storage levels

850L - Outdoor Flammable Liquids Store

MHSOF-0850

Standard features

- Doors with 270° hinging to provide easy access
- ISO locking bars for high security
- Natural ventilation that complies with AS 1940:2017
- Forklift channels for easy relocation
- Heavy duty adjustable perforated shelving
- Cambered roof for rainwater run off
- Earthing steak and mounting
- Appropriate safety signage that complies with AS 1216 and AS 1319
- Designed and manufactured in full conformance to AS 1940:2017 - The storage and handling of flammable and combustible liquids.

Made in Australia

Specifications

Dimensions			
	H	W	D
External	1995	2990	900
Internal	1690	2825	755

Door Opening Width	4x627
Shelf Width	707
Shelf Depth	698
Storage Levels	3

Sump Capacity (L)	Weight (kg)	Complies with	Max Capacity (L)
340.8	513.8	AS 1940:2017	850

Drum Size						
0.5L 65mmW	2.5L 135mmW	5L 190mmW	4L 180mmW	20L 300mmW	60L 400mmW	205L 600mmW
2000*	500*	108	180*	48	8	4

*with 3 storage levels

1000L - Outdoor Flammable Liquids Store

MHSOF-1000

Standard features

- Doors with 270° hinging to provide easy access
- ISO locking bars for high security
- Natural ventilation that complies with AS 1940:2017
- Forklift channels for easy relocation
- Heavy duty adjustable perforated shelving
- Cambered roof for rainwater run off
- Earthing steak and mounting
- Appropriate safety signage that complies with AS 1216 and AS 1319
- Designed and manufactured in full conformance to AS 1940:2017 - The storage and handling of flammable and combustible liquids.

Made in Australia

Specifications

Dimensions			
	H	W	D
External	1995	3600	900
Internal	1690	3585	755

Door Opening Width	3x1075
Shelf Width	1173
Shelf Depth	698
Storage Levels	3

Sump Capacity (L)	Weight (kg)	Complies with	Max Capacity (L)
432	563.8	AS 1940:2017	1000

Drum Size						
0.5L 65mmW	2.5L 135mmW	5L 190mmW	4L 180mmW	20L 300mmW	60L 400mmW	205L 600mmW
2700*	600*	180	270*	54	12	3

*with 3 storage levels

10 ft Dangerous Goods Container

HAZMAT
SAFETY CABINETS

10ft Dangerous Goods Container

The 10ft Dangerous Goods container allows you to remove hazardous goods from your everyday workspaces and store them in an external, compliant, secure and lockable area.

Details

The 10ft Dangerous Goods Container is the ideal solution for storing dangerous chemicals, liquids or powders onsite in small workshops, with limited onsite space or dificult access.

Key safety features include ventilation grills at the top and bottom levels of the walls, a safety drain valve and emergency escape internal release handle at the exit door.

All Dangerous Goods units are compliant with the applicable Australian Standards and come with galvanised steel flooring, bund to contain spills, raised cross-members to simplify the clean-up of spills and an emergency exit to ensure no one gets locked in.

Upon delivery, each customer will receive an Independent Certificate of Compliance

Capacity

- Store upto 4 IBC Drums or Pallets
- Internal Capacity - 17.4m3
- Bund capacity from 1,100L to 1,300L

Key Features

- Flexible storage for chemical classes 2, 3, 4, 5, 6, 8 and 9 (subject to compliance)
- Bunded to contain spillages
- Multiple top and bottom vents for air circulation
- Level entrance for added safety
- 316L safety drain valve

Top:
The 10ft Dangerous Goods container provides additional storage for all your dangerous goods. A bunded floor makes the clean up of spills safe and easy.

Middle :
Our 10ft DG is ideal for space constrained sites or those with small storage requirements.

Perfect for workshops, manufacturing or sheds, with limited internal space.

Below:
Safety discharge valve to control spills and assist in any cleanup.

Specifications 10ft Dangerous Goods Container | DG10





Internal		External		Weight	
Length (mm)	2,840	Length (mm)	2,991	Tare (kg)	1,800
Width (mm)	2,370	Width (mm)	2,438	Payload (kg)	8,360
Height (mm)	2,586	Height (mm)	2,896	MGW (kg)	10,160

How is this container delivered?

To make delivery as smooth as possible, please notify us when getting a Dangerous Goods quote if there are any obstacles on or near your site that could impact a truck's access.

Also, please make sure that the area the truck will need to access is clear.

Chemical Storage Cabinet →

20ft Dangerous Goods Double Side Door →

20ft Dangerous Goods Single Side Door →

MULTIFILE

HAZMAT SAFETY CABINETS

enquiries@multifile.com.au | 1800 080 280