



Suitable for safe storage of Class 6 Pesticides

The Multifile Class 6 Pesticide Storage Cabinet is designed and manufactured in full conformance to AS AS4452-1997, Suitable for the safe storage of pesticide substances as listed as Class 6.1 in the Australian Dangerous Goods Code.



Specifications

- Constructed of double walled 1.2mm thick galvanised steel
- Fully-welded cabinet (not pop-riveted)
- 2 x sequential self-closing doors fitted with speed adjustable hydraulic closures
- 3 x 1.6mm thick, perforated, galvanised steel shelves
- Continual stainless steel piano-type door hinge
- Overlapping door edging to prevent ingress of heat
- Adjustable shelf heights at 90mm increments
- Built in flash arrestors and vent openings (for mechanical ventilation systems)
- 3 point self-latching door mechanism
- Recessed handle with keyed alike lock with 2 keys
- External static earth connection and 1 x earthing wire
- Solvent resistant yellow baked powder coated finish
- 150mm deep liquid tight sump
- Class 6 diamond and other decals applied
- Supplied with safety gloves
- Adjustable levelers
- Optional additional shelves available
- 10 Year Guarantee

Product Dimensions:

External: 1065mm (H) x 515mm (W) x 460mm (D)
Internal: 810mm (H) x 400mm (W) x 360mm (D)
Weight 80kgs

The Multifile Class 6 Pesticide Storage Cabinet is designed and manufactured in full conformance to AS AS4452-1997, Suitable for the safe storage of pesticide substances as listed as Class 6.1 in the Australian Dangerous Goods Code.



Specifications

- Constructed of double walled 1.2mm thick galvanised steel
- Fully-welded cabinet (not pop-riveted)
- 2 x sequential self-closing doors fitted with speed adjustable hydraulic closures
- 3 x 1.6mm thick, perforated, galvanised steel shelves
- Continual stainless steel piano-type door hinge
- Overlapping door edging to prevent ingress of heat
- Adjustable shelf heights at 90mm increments
- Built in flash arrestors and vent openings (for mechanical ventilation systems)
- 3 point self-latching door mechanism
- Recessed handle with keyed alike lock with 2 keys
- External static earth connection and 1 x earthing wire
- Solvent resistant yellow baked powder coated finish
- 150mm deep liquid tight sump
- Class 6 diamond and other decals applied
- Supplied with safety gloves
- Adjustable levelers
- Optional additional shelves available
- 10 Year Guarantee

Product Dimensions:

External: 770mm H x 935mm W x 620mm D

Internal: 520mm H x 820mm W x 520mm D

Weight: 105KGS

The Multifile Class 6 Pesticide Storage Cabinet is designed and manufactured in full conformance to AS AS4452-1997, Suitable for the safe storage of pesticide substances as listed as Class 6.1 in the Australian Dangerous Goods Code.



Specifications

- Constructed of double walled 1.2mm thick galvanised steel
- Fully-welded cabinet (not pop-riveted)
- 2 x sequential self-closing doors fitted with speed adjustable hydraulic closures
- 3 x 1.6mm thick, perforated, galvanised steel shelves
- Continual stainless steel piano-type door hinge
- Overlapping door edging to prevent ingress of heat
- Adjustable shelf heights at 90mm increments
- Built in flash arrestors and vent openings (for mechanical ventilation systems)
- 3 point self-latching door mechanism
- Recessed handle with keyed alike lock with 2 keys
- External static earth connection and 1 x earthing wire
- Solvent resistant yellow baked powder coated finish
- 150mm deep liquid tight sump
- Class 6 diamond and other decals applied
- Supplied with safety gloves
- Adjustable levelers
- Optional additional shelves available
- 10 Year Guarantee

Product Dimensions:

External: 1220mm H x 1100mm W x 450mm D

Internal: 970mm H x 985mm W x 365mm D

Weight: 125KGS

The Multifile Class 6 Pesticide Storage Cabinet is designed and manufactured in full conformance to AS AS4452-1997, Suitable for the safe storage of pesticide substances as listed as Class 6.1 in the Australian Dangerous Goods Code.



Specifications

- Constructed of double walled 1.2mm thick galvanised steel
- Fully-welded cabinet (not pop-riveted)
- 2 x sequential self-closing doors fitted with speed adjustable hydraulic closures
- 3 x 1.6mm thick, perforated, galvanised steel shelves
- Continual stainless steel piano-type door hinge
- Overlapping door edging to prevent ingress of heat
- Adjustable shelf heights at 90mm increments
- Built in flash arrestors and vent openings (for mechanical ventilation systems)
- 3 point self-latching door mechanism
- Recessed handle with keyed alike lock with 2 keys
- External static earth connection and 1 x earthing wire
- Solvent resistant yellow baked powder coated finish
- 150mm deep liquid tight sump
- Class 6 diamond and other decals applied
- Supplied with safety gloves
- Adjustable levelers
- Optional additional shelves available
- 10 Year Guarantee

Product Dimensions:

External: 1830mm H x 1115mm W x 525mm D

Internal: 1570mm H x 980mm W x 400mm D

Weight: 190KGS

HAZMAT

SAFETY CABINETS

View or Complete Range at:

www.hazmatcabinets.com.au

